

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	78	("20020074034"   "20020075211"   "20020195138"   "20030000566"   "20030005955"   "20040045595"   "5578141"   "5589006"   "5597422"   "5660646"   "5684325"   "5718772"   "5800631"   "5849107"   "5973258"   "5998729"   "6013372"   "6034323"   "6093884"   "6113718"   "6133522"   "6162986"   "6175075"   "6245987"   "6294724"   "6307144"   "6307145"   "6320115"   "6323478"   "6331671"   "6414236"   "6515216"   "6534702"   "6613973"   "6653549"   "6664597"   "6676459"   "6693237"   "6703555").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 07:46
S2	0	"136""."224".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:09
S3	0	136/244.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:09
S4	1679	136/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:09
S5	163	136/244.ccls. and Fluoride	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:09
S6	7	136/244.ccls. and Fluoride ADJ polymer	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:10
S7	251	136/244.ccls. and discharge	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:17

S8	22	136/244.ccls. and discharge and (uneven\$4 OR texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:18
S9	110	136/244.ccls. and (uneven\$4 OR texture)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 08:42
S10	82	136/244.ccls. and (uneven\$4 OR (texture AND irregular\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 09:23
S11	15	136/244.ccls. and (uneven\$4 OR (texture AND irregular\$3)) AND height	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 09:33
S12	653	136/244.ccls. and (uneven\$4 OR var\$4 OR(texture AND irregular\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 09:37
S13	427	136/244.ccls. and (uneven\$4 OR vary\$3 or varied OR(texture AND irregular\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 09:38
S14	326	136/244.ccls. and (uneven\$4 OR varying or varied OR(texture AND irregular\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 09:38
S15	164	"136".clas. and (uneven\$4 OR (texture AND irregular\$3)) AND height	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 09:39
S16	0	"136".clas. and (light NEAR (contact ADJ angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:33
S17	0	136/244.ccls.and (light NEAR (contact ADJ angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:33
S18	0	136/244.ccls. and (light NEAR (contact ADJ angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:34
S19	2	136/244.ccls. and (light AND (contact ADJ angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:34
S20	1	136/244.ccls. and (light AND (contact ADJ angle) NEAR water)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:34
S21	1	136/244.ccls. and (light AND (contact NEAR angle) NEAR water)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:34

S22	0	136/244.ccls. and (light AND (contact AND angle) NEAR water)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:35
S23	0	136/244.ccls. and (contact AND angle) NEAR water	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:35
S24	0	"136"/.clas. and (contact AND angle) NEAR water	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:35
S25	0	"136".clas. and (contact AND angle) NEAR water	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:35
S26	538	"136".clas. and (contact AND angle) AND water	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:35
S27	31	"136".clas. and (contact NEAR angle) AND water	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:35
S28	3	136/244.ccls. and discharge AND inert AND carbon ADJ dioxide	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:44
S29	118	136/244.ccls. and discharge AND gas\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:46
S30	4	136/244.ccls. and discharge NEAR gas\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:46
S31	251	136/244.ccls. and discharge	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:47
S32	1	136/244.ccls. and discharge NEAR effect \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:47
S33	1	136/244.ccls. and discharge\$2 NEAR effect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:48
S34	50	136/244.ccls. and discharge\$2 SAME effect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:48
S35	1	136/244.ccls. and discharge\$2 SAME effect\$3 AND stain	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:50
S36	25	136/244.ccls. and discharge\$2 SAME effect\$3 AND resist\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:50
S37	1	136/244.ccls. and discharge\$2 SAME (carbon ADJ dioxide)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 10:53

S38	1575	"136".clas. AND discharg\$3 AND gas\$3	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 10:59
S39	14	"136".clas. AND discharg\$3 AND gas\$2 AND fluoride ADJ polymer	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 10:59
S40	0	"136".clas. AND discharg\$3 AND gas\$2 AND fluoride ADJ polymer AND COsub2	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 11:09
S41	2	"136".clas. AND discharg\$3 AND gas\$2 AND fluoride ADJ polymer AND Carbon ADJ dioxide	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 11:09
S42	1679	136/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:31
S43	150	136/244.ccls. and inclin \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:34
S44	0	"6534703.pn",	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:43
S45	2	"6534703".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:43
S46	0	(solar ADJ cell) AND resin NEAR discharge \$1 AND dioxide ADJ carbon	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:47
S47	0	(solar ADJ cell) AND (polymer OR resin) NEAR discharge\$1 AND dioxide ADJ carbon	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:47
S48	10	(solar ADJ cell) AND (light ADJ incidence) SAME discharge	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:48
S49	90	(light ADJ incidence) SAME discharge	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 11:51
S50	14	"136".clas. AND stain ADJ resist\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 12:57
S51	1751	etfe AND deposit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 13:01

S52	128	etfe AND deposit\$3 AND "136".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 13:02
S53	2	"4731156".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 13:40
S54	1	136/244.ccls. AND texture AND height NEAR mean	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 14:13
S55	1	136/244.ccls. AND height NEAR mean	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 14:14
S56	6	"136".clas. AND height NEAR mean	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:14
S57	0	"136".clas. AND height AND uneven NEAR resin	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:15
S58	55	"136".clas. AND height AND uneven AND resin	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:15
S59	23254	"136".clas. AND height nEAR pitch OR corrugat \$3 AND maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:35
S60	1	"136".clas. AND height nEAR (pitch OR corrugat\$3) AND (maximum OR max)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:35
S61	0	"136".clas. nEAR (pitch OR corrugat\$3) AND (maximum OR max)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:36
S62	222	"136".clas. AND (pitch OR corrugat\$3) AND (maximum OR max)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:36
S63	0	"136".clas. AND (uneven\$4 NEAR (polymer OR resin)) AND (pitch OR corrugat \$3) AND (maximum OR max)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:39
S64	27	"136".clas. AND (uneven\$4 AND (polymer OR resin)) AND (pitch OR corrugat \$3) AND (maximum OR max)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:39
S65	29	"136".clas. AND (uneven\$4 AND (polymer OR resin)) AND (roughness) AND (maximum OR max)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 14:47

S66	3	"136".clas. AND (uneven\$4 AND (polymer OR resin)) AND (roughness AND Pitch) AND (maximum OR max)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 15:03
S67	0	2002/0129850	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/05 15:04
S68	1882569	"136".clas. AND texture AND thick OR depth OR height	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 15:13
S69	60	"136".clas. AND texture SAME (thick OR depth OR height)	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 15:13
S70	2	"5530264".pn.	US-PGPUB; USPAT; JPO; DERWENT	ADJ	OFF	2007/11/05 15:27
S71	2	"5530264".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/06 08:48
S72	0	"10822716".app.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/06 09:53
S73	1	"10/822716".app.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/06 09:53
S74	261	solar cell AND multiple \$1 AND (inclination OR incline)	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/06 09:59
S75	95	solar cell AND multiple \$1 AND (inclination OR incline) AND assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/06 09:59
S76	166	S74 NOT S75	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/06 10:09
S77	2	"5040585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	OFF	2007/11/06 10:35

11/13/2007 8:55:06 AM

C:\Documents and Settings\ksalzman\My Documents\EAST\Workspaces\10822716 KATAOKA.wsp